

IS 2180-5 white

Motion detector

IS 2180-5 white

EAN: 4007841 605018

neva
lux



Big Brother is watching. Infrared motion detector IS 2180-5 for outdoors, ideal for large properties and outdoor spaces, business and factory premises, installation height up to 2 m, 180° angle of coverage, reach. 20 m max. or 8 m max. (tangential), selectable time and twilight threshold, manual override, including corner wall mount for external and internal corner.

- UV-resistant plastic
- Including corner wall mount

IS 2180-5 white

Motion detector

IS 2180-5 white

EAN: 4007841 605018



neva
lux

TECHNICAL DATA

Type	Motion detectors	Twilight setting	2 – 2000 lx
Dimensions (L x W x H)	120 x 78 x 55 mm	Time setting	5 sec – 15 min
Mains power supply	230 – 240 V , 50 / 50 Hz	Switching output 1, resistive	1000 W
Sensor Technology	passive infrared	Constant-lighting control	No
Application, place	outdoors	Basic light level function	No
Installation site	wall, corner	With remote control	No
Type of installation	Surface wiring	Interconnection	Yes
Switching zones	504 switching zones	IP rating	IP54
Electronic scalability	No	Material	Plastic
Mechanical scalability	No	Ambient temperature	-20 – 50 °C
Optimum mounting height	2 m	Colour	white
Detection angle	180 °	Colour, RAL	9010
Angle of aperture	90 °	Manufacturer's Warranty	5 years
Sneak-by guard	Yes	Version	white
Capability of masking out individual segments	Yes		
Reach, tangential	r = 8 m (101 m ²) / r = 20 m (628 m ²)		
Twilight setting TEACH	No		

IS 2180-5 white

Motion detector


IS 2180-5 white

EAN: 4007841 605018



neva
lux

ILLUSTRATIONS



IS 2180-5 white

Motion detector

IS 2180-5 white

EAN: 4007841 605018



neva
lux

HIGHLIGHTS



UV-resistant plastic



Including corner wall mount